Index to volume 101

Author index*

A

Abernethy DR, Greenblatt DJ, Divoll M, Shader RI: Enhanced glucuronide conjugation of drugs in obesity: studies of lorazepam, oxazepam, and acetaminophen, 873

Akgün S, Ertel NH, Maesaka JK: Reciprocal changes in plasma glucose and serum calcium levels during glucose and insulin administration, 507

Aldrich TK, Fisher AB, Cadenas E, Chance B: Evidence for lipid peroxidation by paraquat in perfused rat lung, 66

Alevy YG, Mueller KR, Hutcheson P, Slavin RG: Immune responses in experimentally induced uremia. V. Description of a model for chronic uremia in rat that produces long-term suppressive effect on T cell responses to mitogens, 717

Alhenc-Gelas F, Weare JA, Johnson RL Jr, Erdös EG: Measurement of human converting enzyme level by direct radioimmunoassay, 83

Alving BM, Tankersley DL, Mason BL: Plasma prekallikrein: quantitative determination by direct activation with Hageman factor fragment (β-XIIa), 226

Anderson DC, Krishna GS, Hughes BJ, Mace ML, Mintz AA, Smith CW, Nichols BL: Impaired polymorphonuclear leukocyte motility in malnourished infants: relationship to functional abnormalities of cell adherence, 881

Anderson RJ: *see* Gordon et al, 903

Aoyama H: *see* Irie et al, 692

Aronoff GR: *see* Gattone et al, 183

Atkinson AJ Jr: *see* Craig et al, 496

B

Baker RK: *see* Moritz et al, 537

Balcerzak SP: *see* Haq et al, 53

Bang NU: *see* Moore et al, 921

Bankhurst AD: *see* Williams et al, 152

Barrowcliffe TW, Kemball-Cook G, Gray E: Binding to phospholipid protects factor VIII from inactivation by human antibodies, 34

Bessman JD: *see* Levin and Bessman, 295

Bianchine J: *see* Sagone et al, 97

Björck S: *see* Neiderhiser et al, 699

Black SB, Raas M, Mintz L, Shinefield HR, Drew WL: Indirect hemagglutination inhibition: direct method for detecting cytomegalovirus antigen, 450

Blanchard RA, Furie BC, Kruger SF, Waneck G, Jorgensen MJ, Furie B: Immunoassays of human prothrombin species which correlate with functional coagulant activities, 242

Bocci V, Mogensen KE, Muscettola M, Pacini A, Paulesu L, Pessina GP, Skiftas S: Degradation of human ^{123}I-interferon alpha by isolated perfused rabbit kidney and liver, 857

Boden G: *see* Hoeldtke et al, 772

Bohlken DP: *see* Kisker et al, 569

Bolonchuk WW: *see* Lykken et al, 651

Boudoulas H: *see* Leier et al, 955

Boyington D: *see* Smith et al, 611

Boynar JW Jr: *see* Wen et al, 708

Braun H: *see* Schneider et al, 114

Brinkhous KM: *see* Read et al, 74

Broadie TA: *see* Moore et al, 921

Brodsky JB: *see* Pisciotta et al, 432

Bromke BJ: *see* Kueppers and Bromke, 747

Brown JE, Thuy LP, Carton CL, Hougie C: Studies on monoclonal antibody to human factor VIII coagulant activity, with description of facile two-site factor VIII coagulant antigen assay, 793

Brunner G: *see* Windus-Podehl et al, 586

Buckingham RB, Prince RK, Rodnan GP: Progressive systemic sclerosis (PSS, scleroderma): dermal fibroblasts synthesize increased amounts of glycosaminoglycan, 659

Bussey MJ: *see* Greenfield et al, 758

Buu NT: *see* Wang et al, 141

C

Cadenas E: *see* Aldrich et al, 66

Caen JP: *see* Wautier et al, 911

Campbell EJ, Wald MS: Fate of human neutrophil elastase following receptor-mediated endocytosis by human alveolar macrophages. Implications for connective tissue injury, 527

Cancelosi SE: *see* Gabriel et al, 545

Carton CL: *see* Brown et al, 793

Cerny EA: *see* Lau et al, 806

Chance B: *see* Aldrich et al, 66

Chang JC: *see* Lesser et al, 327

Chao GC: *see* Craig et al, 496

Chapkin RS, Haberstroh B, Liu T, Holub BJ: Characterization of individual phospholipids and their fatty acids in serum and high-density lipoprotein of renal patient on long-term maintenance hemodialysis, 726

Chesney PJ: *see* Chesney et al, 576

Chesney RW, McCarron DM, Haddad JG, Hawker CD, DiBella FP, Chesney PJ, Davis JP: Pathogenic mechanisms of hypocalcemia of staphylococcal toxic-shock syndrome, 576

Cheung N-KV, McFall P, Schulman I: Microtiter solid-phase radioimmunoassay for platelet-associated immunoglobulin G, 392

*January, pp. 1-174; February, pp. 175-334; March, pp. 335-514; April, pp. 515-658; May, pp. 659-816; June, pp. 817-994.

Chusid MJ, Davis SD, Sarff LD: Experimental *Pseudomonas aeruginosa* sepsis: absence of synergy between ticarcillin and tobramycin, 441
Cilmi KM: *see* Hoekltke et al, 772
Clark L: *see* Sagone et al, 196
Cochrane C: *see* Craig et al, 496
Collen D: *see* Rijken et al, 274, 285
Connors BA: *see* Gattone et al, 183
Cornelis M: *see* Ricci et al, 835
Craig RM, Murphy P, Gibson TP, Quintanilla A, Chao GC, Cochrane C, Patterson A, Atkinson AJ Jr: Kinetic analysis of D-xylose absorption in normal subjects and in patients with chronic renal failure, 496
Cronkite C: *see* Pisciotta et al, 432
Cross CE, Forte TM, Gunther RA, Kramer GC: Lipoprotein distribution in sheep lung lymph, 641

D

Danish EH, Harris JW: Viscosity studies of deoxyhemoglobin S: evidence for formation of microaggregates during lag phase, 515
Davis BB: *see* Zenser et al, 58
Davis JP: *see* Chesney et al, 576
Davis L: *see* Gabriel et al, 545
Davis SD: *see* Chusid et al, 441
De Cock F: *see* Rijken et al, 274
De Groote J: *see* Ricci et al, 835
Democko C: *see* Sagone et al, 196
Deykin D: *see* Thompson et al, 205
DiBella FP: *see* Chesney et al, 576
DiBona GF: Alport's syndrome: genetic defect in biochemical composition of basement membrane of glomerulus, lens, and inner ear, 817
Dillingham MA: *see* Gordon et al, 903
DiMagno EP: *see* Hotz et al, 488
Dirks JH: *see* Marone et al, 264
Divoll M: *see* Abernethy et al, 873
Donovan PB: *see* Pisciotta et al, 432
Draves K: *see* Zieve et al, 930
Drew WL: *see* Black et al, 450
Duchastel A: *see* Frojmovic et al, 964

E

Edwards RL: *see* Ewan et al, 401
Erdös EG: *see* Alhenc-Gelas et al, 83
Ertel NH: *see* Akgün et al, 507
Estes MK: *see* Graham et al, 940
Evan AP: *see* Gattone et al, 183
Ewan VA, Edwards RL, Rickles FR: Expression of procoagulant activity in human monocyte-like cell line, 401

F

Fair DS, Plow EF: Synthesis and secretion of the fibrinolytic components, including α_2-antiplasmin, by a human hepatoma cell line, 372
Feingold KR, Wiley T, Moser AH, Lear SR, Wiley MH: *De novo* cholesterogenesis in pregnancy, 256
Fevery J: *see* Ricci et al, 835
Fineberg NS: *see* Luft et al, 605
Fisher AB: *see* Aldrich et al, 66
Folds JD: *see* Gabriel et al, 545
Forte TM: *see* Cross et al, 641
Frey BM: *see* Frey and Frey, 593
Frey FJ, Frey BM: Urinary 6β-hydroxyprednisolone excretion indicates enhanced prednisolone catabolism, 593
Frojmovic MM, Milton JG, Duchastel A: Microscopic measurements of platelet aggregation reveal a low ADP-dependent process distinct from turbidometrically measured aggregation, 964
Fujimi S: *see* Okuda et al, 461
Furie B: *see* Blanchard et al, 242
Furie BC: *see* Blanchard et al, 242

G

Gabriel DA, Smith LA, Folds JD, Davis L, Cancelosi SE: Influence of immunoglobulin (IgG) on assembly of fibrin gels, 545
Galacteros F: *see* Wautier et al, 911
Galanakis DK: *see* Peerschke and Galanakis, 453
Gattone VH II, Evan AP, Mong SA, Connors BA, Aronoff GR, Luft FC: Morphology of renal microvasculature in glycerol- and gentamicin-induced acute renal failure, 183
Genest J: *see* Wang et al, 141
Gibb L: *see* Leier et al, 955
Gibson TP: *see* Craig et al, 496
Girma J-P: *see* Weiss et al, 411
Go VLW: *see* Hotz et al, 488
Goldstein IM: *see* Perez et al, 123
Goodall AH: *see* Rotblat et al, 736
Gordon JA, Dillingham MA, Guggenheim SJ, Grossfeld PD, Anderson RJ: Renal concentrating defect after gentamicin administration in rat, 903
Graham DY, Yoshimura HH, Estes MK: DNA hybridization studies of association of *Pseudomonas maltophilia* with inflammatory bowel diseases, 940
Gray E: *see* Barrowcliffe et al, 34
Greenblatt DJ: *see* Abernethy et al, 873
Greenfield RA, Stephens JL, Bussey MJ, Jones JM: Quantitation of antibody to *Candida* mannan by enzyme-linked immunosorbent assay, 758
Greenwald J: *see* Sagone et al, 97
Grever MR: *see* Heldman et al, 783
Grice J: *see* Roberts et al, 821
Griffin JH: *see* Miles et al, 214
Grossfeld PD: *see* Gordon et al, 903
Guggenheim SJ: *see* Gordon et al, 903
Gunther RA: *see* Cross et al, 641

H

Haberstroh B: *see* Chapkin et al, 726
Haddad JG: *see* Chesney et al, 576
Halsted CH: *see* Tamura and Halsted, 623
Hanson GA: *see* Pisciotta et al, 432
Haq AU, Rinehart JJ, Balcerzak SP: T-cell subset modulation of blood erythroid burst-forming unit proliferation, 53
Harris JW: *see* Danish and Harris, 515
Harris KE: *see* Patterson et al, 864
Hawker CD: *see* Chesney et al, 576

Heilbronn L: *see* Roberts et al, 821
Heldman DA, Grever MR, Speicher CE, Trewyn RW: Urinary excretion of modified nucleoside in chronic myelogenous leukemia, 783
Hepburn B: *see* Slade and Hepburn, 479
Ho SB: *see* Hotz et al, 488
Hoeldtke RD, Cilmi KM, Reichard GA Jr, Boden G, Owen OE: Assessment of norepinephrine secretion and production, 772
Holme S, Murphy S: Platelet storage at 22° C for transfusion: interrelationship of platelet density and size, medium pH, and viability after in vivo infusion, 161
Holub BJ: *see* Chapkin et al, 726
Horn JK: *see* Perez et al, 123
Hotz J, Ho SB, Go VLW, DiMagno EP: Short-term inhibition of duodenal tryptic activity does not affect human pancreatic, biliary, or gastric function, 488
Hougie C: *see* Brown et al, 793
Hoyumpa AM: *see* Mitchell et al, 826
Hudson K: *see* Larson et al, 385
Hughes BJ: *see* Anderson et al, 881
Humes HD, Weinberg JM: Effect of gentamicin on antidiuretic hormone–stimulated osmotic water flow in toad urinary bladder, 472
Hunt JN: *see* Luft et al, 605
Hutcheson P: *see* Alevy et al, 717

I

Ilson RG: *see* Strasberg et al, 317
Ingerman-Wojenski C, Smith JB, Silver MJ: Evaluation of electrical aggregometry: comparison with optical aggregometry, secretion of ATP, and accumulation of radiolabeled platelets, 44
Irie R, Kono Y, Aoyama H, Nakatani T, Yasuda K, Ozawa K, Tobe T: Impaired glucose tolerance related to changes in energy metabolism of remnant liver after major hepatic resection, 692

J

Jakubowski JA: *see* Thompson et al, 205
Johannes G: *see* Zager et al, 130
Johnson RF: *see* Mitchell et al, 826
Johnson RL Jr: *see* Alhenc-Gelas et al, 83
Joist JH: *see* Moritz et al, 537
Jones JM: *see* Greenfield et al, 758
Jorgensen MJ: *see* Blanchard et al, 242
Juhan-Vague I: *see* Rijken et al, 274, 285

K

Kaffarnik H: *see* Schneider et al, 114
Kahaleh MB, Leroy EC: Endothelial injury in scleroderma. A protease mechanism, 553
Kartha M: *see* Sagone et al, 196
Kemball-Cook G: *see* Barrowcliffe et al, 34
Kempson SA, Kowalski JC, Puschett JB: Direct effect of metolazone on sodium-dependent transport across the renal brush border membrane, 308
Kilburn KH: *see* Lesser et al, 327
Kinlough-Rathbone RL: *see* Winocour et al, 175
Kisker CT, Robillard JE, Bohlken DP: Glucocorticoid stimulation of blood coagulation factor activities in fetal lamb, 569
Knox FG: *see* Larson et al, 385
Kono Y: *see* Irie et al, 692
Koo V: *see* Liu et al, 561
Kosfeld RE: *see* Liu et al, 561
Kowalski JC: *see* Kempson et al, 308
Kracke GR: Na,K-ATPase inhibitor from guinea pig brain is not ouabain-like, 105
Kramer GC: *see* Cross et al, 641
Kraut EH: *see* Sagone et al, 97
Krishna GS: *see* Anderson et al, 881
Kruger SF: *see* Blanchard et al, 242
Kuchel O: *see* Wang et al, 141
Kueppers F, Bromke BJ: Protease inhibitors in tracheobronchial secretions, 747

L

Larson TS, Hudson K, Mertz JI, Romero JC, Knox FG: Renal vasoconstrictive response to contrast medium. Role of sodium balance and renin-angiotensin system, 385
Lau EH, Cerny EA, Wright BJ, Rahman YE: Improvement of iron removal from reticuloendothelial system by liposome encapsulation of *N,N'-bis*[2-hydroxybenzyl] ethylenediamine-*N,N'*-diacetic acid (HBED). Comparison with desferrioxamine, 806
Lear SR: *see* Feingold et al, 256
Leier CV, Nelson S, Magorien RD, Boudoulas H, Gibb L, Unverferth DV: Heart rate responsiveness after sustained chronotropic stimulation with a $beta_1$-adrenergic agonist, 955
Leroy EC: *see* Kahaleh and Leroy, 553
Lesser M, Chang JC, Orlowski J, Kilburn KH, Orlowski M: Cathepsin B and prolyl endopeptidase activity in rat peritoneal and alveolar macrophages. Stimulation of peritoneal macrophages by saline lavage, 327
Levin J, Bessman JD: Inverse relation between platelet volume and platelet number. Abnormalities in hematologic disease and evidence that platelet size does not correlate with platelet age, 295
Liu T: *see* Chapkin et al, 726
Liu YK, Kosfeld RE, Koo V: Marrow neutrophil mass in patients with nonhematological tumor, 561
Luft FC, Fineberg NS, Sloan RS, Hunt JN: Effect of dietary sodium and protein on urine volume and water intake, 605
— *see* Gattone et al, 183
Lukaski HC: *see* Lykken et al, 651
Lukie BE: Entry of [^{3}H]water and [1,2-^{14}C]polyethylene glycol 4000 into normal and cystic fibrosis salivary mucus, 426
Lyftogt C: *see* Windus-Podehl et al, 586
— *see* Zieve et al, 930
Lykken GI, Lukaski HC, Bolonchuk WW, Sandstead HH: Potential errors in body composition as estimated by whole body scintillation counting, 651

M

McCarron DM: *see* Chesney et al, 576
McFall P: *see* Cheung et al, 392
McGuffie C: *see* Roberts et al, 821
Mace ML: *see* Anderson et al, 881
Maesaka JK: *see* Akgün et al, 507
Magorien RD: *see* Leier et al, 955
Marks CA: *see* Moore et al, 921
Marone CC, Wong NLM, Sutton RAL, Dirks JH: Effects of metabolic alkalosis on calcium excretion in conscious dog, 264
Mason BL: *see* Alving et al, 226
Mattammal MB: *see* Zenser et al, 58
Mattler LE: *see* Moore et al, 921
Mertz JI: *see* Larson et al, 385
Meyer C: *see* Weiss et al, 411
Middleton S: *see* Rotblat et al, 736
Miles LA, Rothschild Z, Griffin JH: Dextran sulfate–dependent fibrinolysis in whole human plasma. Dependence on factor XII and prekallikrein, 214
Milton JG: *see* Frojmovic et al, 964
Mintz AA: *see* Anderson et al, 881
Mintz L: *see* Black et al, 450
Mitchell MC, Hoyumpa AM, Schenker S, Johnson RF, Nichols S, Patwardhan RV: Inhibition of caffeine elimination by short-term ethanol administration, 826
Mogensen KE: *see* Bocci et al, 857
Mong SA: *see* Gattone et al, 183
Montano JD: *see* Williams et al, 152
Moore K: *see* Smith et al, 611
Moore KL, Bang NU, Broadie TA, Mattler LE, Marks CA: Peritoneal fibrinolysis. Evidence for efficiency of tissue-type plasminogen activator, 921
Mordasini R: *see* Schneider et al, 114
Moritz MW, Reimers RC, Baker RK, Sutera SP, Joist JH: Role of cytoplasmic and releasable ADP in platelet aggregation induced by laminar shear stress, 537
Moser AH: *see* Feingold et al, 256
Mueller KR: *see* Alevy et al, 717
Murphy P: *see* Craig et al, 496
Murphy S: *see* Holme and Murphy, 161
Muscettola M: *see* Bocci et al, 857
Mustard JF: *see* Winocour et al, 175

N

Nakatani T: *see* Irie et al, 692
Neiderhiser D, Thornell E, Björck S, Svanvik J: Effect of lysophosphatidylcholine on gallbladder function in cat, 699
Nelson S: *see* Leier et al, 955
Nichols BL: *see* Anderson et al, 881
Nichols S: *see* Mitchell et al, 826
Nomoto K: *see* Okuda et al, 461

O

O'Brien DP: *see* Rotblat et al, 736
Oh Y: *see* Okuda et al, 461
Okuda S, Onoyama K, Fujimi S, Oh Y, Nomoto K, Omae T: Influence of hypertension on progression of experimental autologous immune complex nephritis, 461
Omae T: *see* Okuda et al, 461
Ong R: *see* Perez et al, 123
Onoyama K: *see* Okuda et al, 461
Orlowski J: *see* Lesser et al, 327
Orlowski M: *see* Lesser et al, 327
Owen OE: *see* Hoeldtke et al, 772
Ozawa K: *see* Irie et al, 692

P

Pacini A: *see* Bocci et al, 857
Packham MA: *see* Winocour et al, 175
Paglia DE: *see* Valentine and Paglia, 617
Paloheimo JE: *see* Strasberg et al, 317
Panne E: *see* Schneider et al, 114
Passa P: *see* Wautier et al, 911
Paton RC: *see* Wautier et al, 911
Patterson A: *see* Craig et al, 496
Patterson R, Harris KE, Pruzansky JJ: Induction of IgE-mediated cutaneous, cellular, and airway reactivity in rhesus monkeys by *Ascaris suum* infection, 864
Patwardhan RV: *see* Mitchell et al, 826
Paulesu L: *see* Bocci et al, 857
Peerschke EIB, Galanakis DK: Binding of fibrinogen to ADP-treated platelets. Comparison of plasma fibrinogen fractions and early plasmic fibrinogen derivatives, 453
Perez HD, Horn JK, Ong R, Goldstein IM: Complement (C5)-derived chemotactic activity in serum from patients with pancreatitis, 123
Perry DW: *see* Winocour et al, 175
Pessina GP: *see* Bocci et al, 857
Pietu G: *see* Weiss et al, 411
Pintigny D: *see* Wautier et al, 911
Pisciotta AV, Cronkite C, Hanson GA, Brodsky JB, Donovan PB, Wasserman LR: Leukemia-associated antigens in leukemic transformation of polycythemia vera, 432
Plow EF: *see* Fair and Plow, 372
Potter JY: *see* Read et al, 74
Potter KA: *see* Smith et al, 611
Prince RK: *see* Buckingham et al, 659
Pruzansky JJ: *see* Patterson et al, 864
Puschett JB: *see* Kempson et al, 308

Q

Quinn PG: *see* Thompson et al, 205
Quintanilla A: *see* Craig et al, 496

R

Raas M: *see* Black et al, 450
Rabinowitz R: *see* Weiss et al, 411
Rahman YE: *see* Lau et al, 806
Rand ML: *see* Winocour et al, 175
Rapp NS: *see* Zenser et al, 58
Rawlings E: *see* Rotblat et al, 736
Read MS, Potter JY, Brinkhous KM: Venom coagglutinin for detection of von Willebrand factor activity in animal plasmas, 74
Reed WP, Stromquist DL, Williams RC Jr: Agglutination and phagocytosis on pneumococci by immunoglobulin G antibodies of restricted heterogeneity, 847
Reichard GA Jr: *see* Hoeldtke et al, 772
Reimers RC: *see* Moritz et al, 537

Ricci GL, Cornelis M, Fevery J, De Groote J: Maximal hepatic bilirubin transport in rat during somatostatin-induced cholestasis and taurocholate-choleresis, 835
Rickles FR: *see* Ewan et al, 401
Rijken DC, Juhan-Vague I, Collen D: Complexes between tissue-type plasminogen activator and proteinase inhibitors in human plasma, identified with immunoradiometric assay, 285
—, —, De Cock F, Collen D: Measurement of human tissue-type plasminogen activator by two-site immunoradiometric assay, 274
Rinehart JJ: *see* Haq et al, 53
Roberts RK, Grice J, McGuffie C, Heilbronn L: Oral contraceptive steroids impair elimination of theophylline, 821
Robertson GL: Thirst and vasopressin function in normal and disordered states of water balance, 351
Robillard JE: *see* Kisker et al, 569
Rodnan GP: *see* Buckingham et al, 659
Rogers J: *see* Weiss et al, 411
Romero JC: *see* Larson et al, 385
Rotblat F, Goodall AH, O'Brien DP, Rawlings E, Middleton S, Tuddenham EGD: Monoclonal antibodies to human procoagulant factor VIII, 736
Rothschild Z: *see* Miles et al, 214

S

Sagone AL Jr, Democko C, Clark L, Kartha M: Determination of hydroxyl radical production in aqueous solutions irradiated to clinically significant doses, 196
—, Greenwald J, Kraut EH, Bianchine J, Singh D: Glucose: role as free radical scavenger in biological systems, 97
Sandstead HH: *see* Lykken et al, 651
Sarff LD: *see* Chusid et al, 441
Schenker S: *see* Mitchell et al, 826
Schneider J, Panne E, Braun H, Mordasini R, Kaffarnik H: Ethanol-induced hyperlipoproteinemia. Crucial role of preceding ethanol intake in removal of chylomicrons, 114
Schulman I: *see* Cheung et al, 392
Shader RI: *see* Abernethy et al, 873
Sharma HM: *see* Zager and Sharma, 670
— *see* Zager et al, 130
Shinefield HR: *see* Black et al, 450
Silver MJ: *see* Ingerman-Wojenski et al, 44
Singh D: *see* Sagone et al, 97
Skiftas S: *see* Bocci et al, 857
Slade JD, Hepburn B: Prednisone-induced alterations of circulating human lymphocyte subsets, 479
Slavin RG: *see* Alevy et al, 717
Sloan RS: *see* Luft et al, 605
Smith CW: *see* Anderson et al, 881
Smith JB: *see* Ingerman-Wojenski et al, 44
Smith JE, Moore K, Boyington D, Potter KA: Glutathione metabolism in canine hereditary stomatocytosis with mild erythrocyte glutathione deficiency, 611
Smith LA: *see* Gabriel et al, 545
Smith LJ: Effect of methylprednisolone on lung injury in mice. Prevention of type 1 cell and endothelial cell damage, 629
Speicher CE: *see* Heldman et al, 783
Stephens JL: *see* Greenfield et al, 758
Stoll RW: *see* Wen et al, 708
Strasberg SM, Ilson RG, Paloheimo JE: Bile salt–associated electrolyte secretion and effect of sodium taurocholate on bile flow, 317
Stromquist DL: *see* Reed et al, 847
Sutera SP: *see* Moritz et al, 537
Sutton RAL: *see* Marone et al, 264
Svanvik J: *see* Neiderhiser et al, 699

T

Tamura T, Halsted CH: Folate turnover in chronically alcoholic monkeys, 623
Tankersley DL: *see* Alving et al, 226
Thompson CB, Jakubowski JA, Quinn PG, Deykin D, Valeri CR: Platelet size as determinant of platelet function, 205
Thornell E: *see* Neiderhiser et al, 699
Thuy LP: *see* Brown et al, 793
Tobe T: *see* Irie et al, 692
Trewyn RW: *see* Heldman et al, 783
Tuddenham EGD: *see* Rotblat et al, 736
Tuttle SE: *see* Zager et al, 130

U

Unverferth DV: *see* Leier et al, 955
Updike SJ, Wakamiya RT: Infusion of red blood cell–loaded asparaginase in monkey. Immunologic, metabolic, and toxicologic consequences, 679

V

Valentine WN, Paglia DE: Partial purification of some red cell enzymes utilizing hemoglobin precipitation by zinc salts, 617
Valeri CR: *see* Thompson et al, 205
Van Thiel DH: Ethanol: its adverse effects upon the hypothalamic-pituitary-gonadal axis (Presidential address, American Federation for Clinical Research, Midwest Section), 21

W

Wakamiya RT: *see* Updike and Wakamiya, 679
Wald MS: *see* Campbell and Wald, 527
Waneck G: *see* Blanchard et al, 242
Wang P-C, Buu NT, Kuchel O, Genest J: Conjugation patterns of endogenous plasma catecholamines in human and rat. New specific method for analysis of glucuronide-conjugated catecholamines, 141
Warren JV: Evolution of clinical investigator, 335
Wasserman LR: *see* Pisciotta et al, 432
Wautier JL, Pintigny D, Wautier MP, Paton RC, Galacteros F, Passa P, Caen JP: Fibrinogen, a modulator of erythrocyte adhesion to vascular endothelium, 911
Wautier MP: *see* Wautier et al, 911
Weare JA: *see* Alhenc-Gelas et al, 83
Weinberg JM: *see* Humes and Weinberg, 472

Weiss HJ, Pietu G, Rabinowitz R, Girma J-P, Rogers J, Meyer D: Heterogeneous abnormalities in multimeric structure, antigenic properties, and plasma-platelet content of factor VIII/von Willebrand factor in subtypes of classic (type I) and variant (type IIA) von Willebrand's disease, 411

Weissler AM: Academic medical center decompensation: a cardiologist's viewpoint (Presidential address, Central Society for Clinical Research), 7

Wen S-F, Boynar JW Jr, Stoll RW: Mechanism of glycosuria during volume expansion superimposed on subthreshold glucose loading, 708

Wiley MH: *see* Feingold et al, 256

Wiley T: *see* Feingold et al, 256

Williams RC Jr, Montano JD, Bankhurst AD: Abrogation of in vitro suppressor cell activity in adult common variable hypogammaglobulinemia after TP5 treatment, 152

— *see* Reed et al, 847

Windus-Podehl G, Lyftogt C, Zieve L, Brunner G: Encephalopathic effect of phenol in rats, 586

Winocour PD, Kinlough-Rathbone RL, Perry DW, Rand ML, Packham MA, Mustard JF: Changes in properties of platelets from rats with experimentally induced shortened platelet survival, 175

Wong NLM: *see* Marone et al, 264

Wright BJ: *see* Lau et al, 806

Y

Yasuda K: *see* Irie et al, 692

Yee RB: *see* Zuravleff et al, 896

Yoshimura HH: *see* Graham et al, 940

Yu VL: *see* Zuravleff et al, 896

Z

Zager RA, Johannes G, Tuttle SE, Sharma HM: Acute amino acid nephrotoxicity, 130

—, Sharma HM: Gentamicin increases renal susceptibility to acute ischemic insult, 670

Zenser TV, Mattammal MB, Rapp NS, Davis BB: Effect of aspirin on metabolism of acetaminophen and benzidine by renal inner medulla prostaglandin hydroperoxidase, 58

Zieve L, Lyftogt C, Draves K: Toxicity of fatty acid and ammonia: interactions with hypoglycemia and Krebs cycle inhibition, 930

— *see* Windus-Podehl et al, 586

Zuravleff JJ, Yu VL, Yee RB: Ticarcillin-tobramycin-rifampin: in vitro synergy of triple combination against *Pseudomonas aeruginosa*, 896

Subject index*

A

Academic medical center decompensation: cardiologist's viewpoint (Presidential Address, Central Society for Clinical Research), 7
Acetaminophen, enhanced glucuronide conjugation of, in obesity, 873
  metabolism by renal inner medulla prostaglandin hydroperoxidase, effect of aspirin on, 58
Adenosine diphosphate; *see* ADP
Adenosine triphosphate; *see* ATP
ADP, cytoplasmic and releasable, in platelet aggregation induced by laminar shear stress, 537
  -dependent process revealed by microscopic measurements of platelet aggregation vs. turbidometrical measurement, 964
  -treated platelets, fibrinogen binding to: plasma fibrinogen fractions and early plasmic fibrinogen derivatives compared, 453
Adult common variable hypogammaglobulinemia, suppressor cell activity in, in vitro, abrogation after TP5 treatment, 152
Agglutination and phagocytosis of pneumococci by immunoglobulin G antibodies of restricted heterogeneity, 847
Aggregation, platelet, measured microscopically vs. turbidometrically, low ADP-dependent process revealed, 964
Aggregometry, electrical, evaluated by comparison with optical aggregometry, secretion of ATP, and accumulation of radiolabeled platelets, 44
Alcoholic monkeys, chronically, folate turnover in, 623
Alkalosis, metabolic, effects on calcium excretion in conscious dog, 264
Alport's syndrome: genetic defect in biochemical composition of basement membrane of glomerulus, lens, and inner ear, 817
Alveolar macrophages, human, receptor-mediated endocytosis by, fate of human neutrophil elastase after: implications for connective tissue injury, 527
  rat, cathepsin B and prolyl endopeptidase activity in, 327
Amino acid nephrotoxicity, acute, 130
Ammonia and fatty acid toxicity: interactions with hypoglycemia and Krebs cycle inhibition, 930
Angiotensin I–converting enzyme, human, level measured by direct radioimmunoassay, 83
Animal plasmas, von Willebrand factor activity in, venom coagglutinin for detecting, 74
Antibody(ies) to *Candida* mannan quantitated by ELISA, 758
  human, inactivation of factor VIII by, binding to phospholipid protecting from, 34
  immunoglobulin G, of restricted heterogeneity, agglutination and phagocytosis of pneumococci by, 847
  monoclonal; *see* Monoclonal antibody
Antidiuretic hormone–stimulated osmotic water flow in toad urinary bladder, gentamicin effect on, 472
Antigen(s), cytomegalovirus, indirect hemagglutination inhibition a direct method for detecting, 450
  factor VIII coagulant, facile two-site assay for, 793
  leukemia-associated, in leukemic transformation of polycythemia vera, 432
Antigenic properties, multimeric structure, and plasma-platelet content of factor VIII/von Willebrand factor, heterogeneous abnormalities in subtypes of classic and variant von Willebrand's disease, 411
α_2-Antiplasmin as fibrinolytic component synthesized and secreted by human hepatoma cell line, 372
Aqueous solutions irradiated to clinically significant doses, hydroxyl radical production in, 196
Ascaris suum infection inducing IgE-mediated cutaneous, cellular, and airway reactivity in rhesus monkeys, 864
Asparaginase, red blood cell–loaded, infusion in monkey: immunologic, metabolic, and toxicologic consequences, 679
Aspirin, effect on metabolism of acetaminophen and benzidine by renal inner medulla prostaglandin hydroperoxidase, 58
ATP secretion, optical aggregometry, and accumulation of radiolabeled platelets compared with electrical aggregometry, 44

B

Basement membrane of glomerulus, lens, and inner ear, genetic defect in biochemical composition: Alport's syndrome, 817
Benzidine, metabolism by renal inner medulla prostaglandin hydroperoxidase, effect of aspirin on, 58
Beta$_1$-adrenergic receptor agonist, sustained chronotropic stimulation with, heart rate responsiveness after, 955
Bile flow, effect of sodium taurocholate on, and bile salt–associated electrolyte secretion, 317
  salt–associated electrolyte secretion and effect of sodium taurocholate on bile flow, 317

*January, pp. 1-174; February, pp. 175-334; March, pp. 335-514; April, pp. 515-658; May, pp. 659-816; June, pp. 817-994.

Biliary function, short-term inhibition of duodenal tryptic activity not affecting, 488
Bilirubin, hepatic, maximal transport in rat during somatostatin-induced cholestasis and taurocholate-choleresis, 847
Blood coagulation factor activities in fetal lamb; glucocorticoid stimulation of, 569; *see also* specific factors
  disease, abnormalities in, inverse relation between platelet volume and platelet number and, 295
  erythroid burst-forming unit proliferation, modulation by T-cell subset, 53
Body composition, potential errors as estimated by whole body scintillation counting, 651
Brain, guinea pig, Na,K-ATPase inhibitor from, not ouabain-like, 105
Brush border membrane, renal, sodium-dependent transport across, direct effects of metolazone on, 308

C

[1,2-^{14}C]polyethylene glycol 4000 and [^{3}H]water, entry into normal and cystic fibrosis salivary mucus, 426
Caffeine elimination, inhibition by short-term ethanol administration, 826
Calcium excretion in conscious dog, effects of metabolic alkalosis on, 264
  serum, and plasma glucose levels, reciprocal changes during glucose and insulin administration, 507
Canine; *see* Dog
Cat gallbladder function, effect of lysophosphatidylcholine, 699
Catabolism, prednisolone, enhanced, indicated by urinary 6β-hydroxyprednisolone excretion, 593
Catecholamines, endogenous, in human and rat plasma, conjugation patterns of: new specific method for glucuronide-conjugated catecholamines, 141
Cathepsin B and prolyl endopeptidase activity in rat peritoneal and alveolar macrophages: stimulation of peritoneal macrophages by saline lavage, 327
Cell adherence, functional abnormalities of, relationship to impaired polymorphonuclear leukocyte motility in malnourished infants, 881
  type 1 and endothelial, damage, prevention of: methylprednisolone effect on lung injury in mice, 629
Chemotactic activity, complement (C5)-derived, in serum from pancreatitis patients, 123
Cholestasis, somatostatin-induced, maximal hepatic bilirubin transport in rat during, 847
Cholesterogenesis, *de novo*, in pregnancy, 256
Chronotropic stimulation, sustained, with beta$_1$-adrenergic receptor agonist, heart rate responsiveness after, 955
Chylomicrons, removal of, crucial role of preceding ethanol intake in ethanol-induced hyperlipoproteinemia, 114
Coagglutinin, venom, for detection of von Willebrand factor activity in animal plasmas, 74
Coagulant activities, functional, of human prothrombin species, correlated with immunoassays, 242
Complement (C5)-derived chemotactic activity in serum from pancreatitis patients, 123
Conjugation patterns of endogenous plasma catecholamines in human and rat: new specific method for glucuronide-conjugated catecholamines, 141
Connective tissue injury, implications of fate of human neutrophil elastase after receptor-mediated endocytosis by human alveolar macrophages for, 527
Contraceptive steroids, oral, impairing elimination of theophylline, 821
Contrast medium, renal vasoconstrictive response to, role of sodium balance and renin-angiotensin system, 385
Converting enzyme; *see* Angiotensin I–converting enzyme
Cystic fibrosis and normal salivary mucus, entry of [^{3}H]water and [1,2-^{14}C]polyethylene glycol 4000 into, 426
Cytomegalovirus antigen, indirect hemagglutination inhibition a direct method for detecting, 450
Cytoplasmic and releasable ADP in platelet aggregation induced by laminar shear stress, 537

D

Deoxyhemoglobin S, viscosity studies, formation of microaggregates during lag phase, 515
Dermal fibroblasts in progressive systemic sclerosis, synthesizing more glycosaminoglycan, 659
Desferrioxamine compared with liposome encapsulation of *N,N′-bis*[2-hydroxybenzyl]-ethylenediamine-*N,N′*-diacetic acid in iron removal from reticuloendothelial system, 806
Dextran sulfate–dependent fibrinolysis in whole human plasma: dependency on factor XII and prekallikrein, 214
Dietary sodium and protein, effect on urine volume and water intake, 605
DNA hybridization studies of association of *Pseudomonas maltophilia* with inflammatory bowel diseases, 940
Dog, conscious, calcium excretion in, effects of metabolic alkalosis on, 264
  hereditary stomatocytosis with mild erythrocyte glutathione deficiency, glutathione metabolism in, 611
Duodenal tryptic activity, short-term inhibition of, not affecting human pancreatic, biliary, or gastric function, 488

E

Ear (inner), lens, and glomerulus, basement membrane of, genetic defect in biochemical composition of: Alport's syndrome, 817
Elastase, neutrophil, human, fate after receptor mediated endocytosis by human alveolar macrophages: implications for connective tissue injury, 527
Electrical aggregometry compared with optical aggregometry, secretion of ATP, and accumulation of radiolabeled platelets, 44
Electrolyte secretion, bile salt–associated, and effect of sodium taurocholate on bile flow, 317
ELISA for quantitating antibody to *Candida* mannan, 758
Encephalopathic effect of phenol in rats, 586
Endocytosis, receptor-mediated, by human alveolar macrophages, fate of human neutrophil elastase after: implications for connective tissue injury, 527
Endogenous catecholamines in human and rat plasma, conjugation patterns of: new specific method for glucuronide-conjugated catecholamines, 141
Endothelial and type 1 cell damage, prevention of: methylprednisolone effect on lung injury in mice, 629
  injury in scleroderma, protease mechanism, 553
Endothelium, vascular, erythrocyte adhesion to, fibrinogen modulating, 911
Enzyme(s), angiotensin I–converting, human, level measured by direct radioimmunoassay, 83
  -linked immunosorbent assay; *see* ELISA
  red cell, partial purification with hemoglobin precipitation by zinc salts, 617
Erythrocyte adhesion to vascular endothelium, fibrinogen modulating, 911
  enzymes, partial purification with hemoglobin precipitation by zinc salts, 617
  glutathione deficiency, mild, with canine hereditary stomatocytosis, glutathione metabolism in, 611
  -loaded asparaginase, infusion in monkey: immunologic, metabolic, and toxicologic consequences, 679
Ethanol, adverse effects on hypothalamic-pituitary-gonadal axis (Presidential Address, American Federation for Clinical Research, Midwest Section), 21
  -induced hyperlipoproteinemia, crucial role of preceding ethanol intake in removal of chylomicrons, 114
  short-term administration of, inhibiting caffeine elimination, 826
Evolution of clinical investigator, 335

F

Factor VIII binding to phospholipid, protecting from inactivation by human antibodies, 34
Factor VIII—cont'd
  coagulant activity, human, monoclonal antibody to, and facile two-site assay for factor VIII coagulant antigen, 793
  procoagulant, human, monoclonal antibodies to, 736
  /von Willebrand factor, heterogeneous abnormalities in multimeric structure, antigenic properties, and plasma-platelet content of, in subtypes of classic and variant von Willebrand's disease, 411
  XII fragment (β-XIIa), direct activation with, in quantitative determination of plasma prekallikrein, 226
  and prekallikrein dependence in dextran sulfate–dependent fibrinolysis in whole human plasma, 214
  von Willebrand; *see* von Willebrand factor
Fatty acid(s) and ammonia toxicity: interactions with hypoglycemia and Krebs cycle inhibition, 930
  and individual phospholipids, characterized in serum and high-density lipoprotein of renal patient on long-term maintenance hemodialysis, 726
Fibrin gels, assembly of, influence of IgG on, 545
Fibrinogen as modulator of erythrocyte adhesion to vascular endothelium, 911
  binding to ADP-treated platelets: plasma fibrinogen fractions and early plasmic fibrinogen derivatives compared, 453
Fibrinolysis, dextran sulfate–dependent, in whole human plasma: dependence on factor XII and prekallikrein, 214
  peritoneal: evidence for efficiency of tissue-type plasminogen activator, 921
Fibrinolytic components, including α_2-antiplasmin, synthesis and secretion by human hepatoma cell line, 372
Fibroblasts, dermal, in progressive systemic sclerosis, synthesizing more glycosaminoglycan, 659
Folate turnover in chronically alcoholic monkeys, 623
Free radical, glucose as scavenger of, in biological systems, 97

G

Gallbladder function in cat, effect of lysophosphatidylcholine, 699
Gastric function, short-term inhibition of duodenal tryptic activity not affecting, 488
Gentamicin, effect on antidiuretic hormone–stimulated osmotic water flow in toad urinary bladder, 472
  increasing renal susceptibility to acute ischemic insult, 670
  -induced acute renal failure, morphology of renal microvasculature in, 183
  renal concentrating defect after, in rat, 903
Glomerulus, lens, and inner ear, basement membrane of, genetic defect in biochemical composition of: Alport's syndrome, 817
Glucocorticoid stimulation of blood coagulation factor activities in fetal lamb, 569

Glucose and insulin administration, reciprocal changes in plasma glucose and serum calcium levels during, 507
loading, subthreshold, volume expansion superimposed on, mechanism of glycosuria during, 708
plasma, and serum calcium levels, reciprocal changes during glucose and insulin administration, 507
role as free radical scavenger in biological systems, 97
tolerance, impaired, related to changes in energy metabolism of remnant liver after major hepatic resection, 692
Glucuronide-conjugated catecholamines, new specific method for: conjugation patterns of endogenous catecholamines in human and rat plasma, 141
conjugation of drugs in obesity, enhanced: lorazepam, oxazepam, and acetaminophen, 873
Glutathione metabolism in canine hereditary stomatocytosis with mild erythrocyte glutathione deficiency, 611
Glycerol-induced acute renal failure, morphology of renal microvasculature in, 183
Glycosuria, mechanism during volume expansion superimposed on subthreshold glucose loading, 708
Glycosaminoglycan, increased amounts synthesized by dermal fibroblasts in progressive systemic sclerosis, 659
Guinea pig brain, Na,K-ATPase inhibitor from, not ouabain-like, 105

H

[^{3}H]water and [1,2-^{14}C]polyethylene glycol 4000, entry into normal and cystic fibrosis salivary mucus, 426
Hageman factor; *see* Factor XII
Heart rate responsiveness after sustained chronotropic stimulation with beta$_1$-adrenergic receptor agonist, 955
Hemagglutination inhibition, indirect: direct method for detecting cytomegalovirus antigen, 450
Hematologic; *see* Blood
Hemodialysis, long-term maintenance, renal patient on, individual phospholipids and their fatty acids in serum and high-density lipoprotein in, 726
Hemoglobin precipitation by zinc salts, partial purification of red cell enzymes with, 617
Hepatic; *see* Liver
Hepatoma cell line, human, synthesis and secretion of fibrinolytic components, including α_2-antiplasmin by, 372
Human alveolar macrophages, receptor-mediated endocytosis by, fate of human neutrophil elastase after: implications for connective tissue injury, 527
antibodies, inactivation of factor VIII by, binding to phospholipid protecting from, 34
Human—cont'd
converting enzyme level, measured by direct radioimmunoassay, 83
factor VIII coagulant activity, monoclonal antibody to, and facile two-site assay for factor VIII coagulant antigen, 793
hepatoma cell line, synthesis and secretion of fibrinolytic components, including α_2-antiplasmin, 372
^{123}I-interferon alpha, degradation by isolated perfused rabbit kidney and liver, 857
lymphocyte subsets, circulating, prednisone-induced alterations of, 479
monocyte-like cell line, expression of procoagulant activity in, 401
neutrophil elastase, fate after receptor-mediated endocytosis by human alveolar macrophages: implications for connective tissue injury, 527
pancreatic, biliary, or gastric function, short-term inhibition of duodenal tryptic activity not affecting, 488
plasma, complexes between tissue-type plasminogen activator and proteinase inhibitors in, identified with immunoradiometric assay, 285
endogenous catecholamines in, conjugation patterns of: new specific method for glucuronide-conjugated catecholamines, 141
whole, dextran sulfate–dependent fibrinolysis in: dependence on factor XII and prekallikrein, 214
procoagulant factor VIII, monoclonal antibodies to, 736
prothrombin species, immunoassays of, correlated with functional coagulant activities, 242
tissue-type plasminogen activator, measurement by two-site immunoradiometric assay, 274
N,N'-bis[2-Hydroxybenzyl]-ethylenediamine-*N,N'*-diacetic acid, liposome encapsulation of, improving iron removal from reticuloendothelial system, compared with desferrioxamine, 306
6β-Hydroxyprednisolone, urinary excretion of, indicating enhanced prednisolone catabolism, 593
Hydroxyl radical production in aqueous solutions irradiated to clinically significant doses, 196
Hyperlipoproteinemia, ethanol-induced, crucial role of preceding ethanol intake in removal of chylomicrons, 114
Hypertension, influence on progression of experimental autologous immune complex nephritis, 461
Hypocalcemia of staphylococcal toxic-shock syndrome, pathogenic mechanisms, 576
Hypogammaglobulinemia, adult common variable, suppressor cell activity in, in vitro, abrogation after TP5 treatment, 152

Hypoglycemia and Krebs cycle inhibition, interactions with toxicity of fatty acid and ammonia, 930
Hypothalamic-pituitary-gonadal axis, adverse effects of ethanol on, 21

I

^{125}I-interferon alpha, human, degradation by isolated perfused rabbit kidney and liver, 857
IgE-mediated cutaneous, cellular, and airway reactivity, induction in rhesus monkeys by *Ascaris suum* infection, 864
IgG antibodies of restricted heterogeneity, agglutination and phagocytosis of pneumococci by, 847
  influence on assembly of fibrin gels, 545
  platelet-associated, microtiter solid-phase radioimmunoassay for, 392
Immune complex nephritis, autologous, experimental, influence of hypertension on progression of, 461
  responses in experimentally induced uremia. V. Model for chronic uremia in rat that produces long-term suppressive effect on T cell responses to mitogens, 717
Immunoassays of human prothrombin species, correlated with functional coagulant activities, 242
Immunoglobulin G, E; *see* IgG, IgE
Immunologic consequences of infusion of red blood cell–loaded asparaginase in monkey, 679
Immunoradiometric assay for identifying complexes between tissue-type plasminogen activator and proteinase inhibitors in human plasma, 285
  two-site, for measurement of human tissue-type plasminogen activator, 274
Infants, malnourished, impaired polymorphonuclear leukocyte motility in, relationship to functional abnormalities of cell adherence, 881
Inflammatory bowel diseases, association with *Pseudomonas maltophilia*, DNA hybridization studies of, 940
Insulin and glucose administration, reciprocal changes in plasma glucose and serum calcium levels during, 507
Iron removal from reticuloendothelial system, improved by liposome encapsulation of *N,N′-bis*[2-hydroxybenzyl]--ethylenediamine-*N,N′*-diacetic acid, compared with desferrioxamine, 806
Irradiation of aqueous solutions to clinically significant doses, hydroxyl radical production after, 196
Ischemic insult, acute, renal susceptibility to, gentamicin increasing, 670

K

Kidney brush border membrane, sodium-dependent transport across, direct effect of metolazone on, 308
Kidney—cont'd
  concentrating defect after gentamicin in rat, 903
  failure, acute, glycerol- and gentamicin-induced, morphology of renal microvasculature in, 183
  chronic, D-xylose absorption in, kinetic analysis of, 496
  inner medulla prostaglandin hydroperoxidase, metabolism of acetaminophen and benzidine by, effect of aspirin on, 58
  and liver, rabbit, isolated perfused, degradation of human ^{125}I-interferon by, 857
  microvasculature, morphology in glycerol- and gentamicin-induced acute renal failure, 183
  patient on long-term maintenance hemodialysis, individual phospholipids and their fatty acids in serum and high-density lipoprotein of, 726
  susceptibility to acute ischemic insult, gentamicin increasing, 670
  vasoconstrictive response to contrast medium, role of sodium balance and renin-angiotensin system, 385
Krebs cycle inhibition and hypoglycemia, interactions with toxicity of fatty acid and ammonia, 930

L

Lamb, fetal, blood coagulation factor activities in, glucorticoid stimulation of, 569
Laminar shear stress, platelet aggregation induced by, role of cytoplasmic and releasable ADP in, 537
Lens, glomerulus, and inner ear, basement membrane of, genetic defect in biochemical composition of: Alport's syndrome, 817
Leukemia-associated antigens in leukemic transformation of polycythemia vera, 432
  chronic myelogenous, urinary excretion of modified nucleosides in, 783
Leukemic transformation of polycythemia vera, leukemia-associated antigens in, 432
Lipid peroxidation by paraquat in perfused rat lung, 66
Lipoprotein distribution in sheep lung lymph, 641
  high-density, and serum of renal patient on long-term maintenance hemodialysis, individual phospholipids and their fatty acids in, 726
Liposome encapsulation of *N,N′-bis*[2-hydroxybenzyl]-ethylenediamine-*N,N′*-diacetic acid, improved removal of iron from reticuloendothelial system by, compared with desferrioxamine, 806
Liver bilirubin transport, maximal, in rat during somatostatin-induced cholestasis and taurocholate-choleresis, 847
  and kidney, rabbit, isolated perfused, degradation of human ^{125}I-interferon by, 857
  remnant, after major hepatic resection, energy metabolism of, changes in, related to impaired glucose tolerance, 692

Lorazepam, enhanced glucuronide conjugation of, in obesity, 873
Lung injury in mice, methylprednisolone effect on: prevention of type 1 cell and endothelial cell damage, 629
lymph, sheep, lipoprotein distribution in, 641
rat, perfused, lipid peroxidation by paraquat in, 66
Lymph, sheep lung, lipoprotein distribution in, 641
Lymphocyte subsets, human, circulating, prednisone-induced alterations of, 479
Lysophosphatidylcholine, effect on gallbladder function in cat, 699

M

Macrophages, alveolar, human, receptor-mediated endocytosis by, fate of human neutrophil elastase after: implications for connective tissue injury, 527
peritoneal and alveolar, rat, cathepsin B and prolyl endopeptidase activity in: stimulation of peritoneal macrophages by saline lavage, 327
Mannan, *Candida*, antibody to, quantitated by ELISA, 758
Marrow neutrophil mass in patients with nonhematological tumor, 561
Medium pH, interrelationship with platelet density and size and viability after in vivo infusion, after storage at 22° C, 161
Metabolic alkalosis, effects on calcium excretion in conscious dog, 264
consequences of infusion of red blood cell–loaded asparaginase in monkey, 679
Metabolism, energy, of remnant liver after major hepatic resection, changes in, related to impaired glucose tolerance, 692
glutathione, in canine hereditary stomatocytosis with mild erythrocyte glutathione deficiency, 611
Methylprednisolone effect on lung injury in mice: prevention of type 1 cell and endothelial cell damage, 629
Metolazone, direct effect on sodium-dependent transport across the renal brush border membrane, 308
Mice, lung injury in, methylprednisolone effect on: prevention of type 1 cell and endothelial cell damage, 629
Microaggregates, formation during lag phase, viscosity studies of deoxyhemoglobin S, 515
Microvasculature, renal, morphology in glycerol- and gentamicin-induced acute renal failure, 183
Mitogens, T cell responses to, long-term suppressive effect of chronic uremia in rat on, model for immune responses in experimental uremia, 717
Monkey(s), chronically alcoholic, folate turnover in, 623
Monkey(s)—cont'd
infusion of red blood cell–loaded asparaginase in: immunologic, metabolic, and toxicologic consequences, 679
rhesus, IgE-mediated cutaneous, cellular, and airway reactivity in, induction by *Ascaris suum* infection, 864
Monoclonal antibody(ies). to human factor VIII coagulant activity and facile two-site assay for factor VIII coagulant antigen, 793
to human procoagulant factor VIII, 736
Monocyte-like cell line, human, expression of procoagulant activity in, 401
Mucus, salivary, normal and cystic fibrosis, entry of [^{3}H]water and [1,2-^{14}C]polyethylene glycol 4000 into, 426
Multimeric structure, antigenic properties, and plasma-platelet content of factor VIII/von Willebrand factor, heterogeneous abnormalities in subtypes of classic and variant von Willebrand's disease, 411

N

Nephritis, immune complex, autologous, experimental, influence of hypertension on progression of, 461
Nephrotoxicity, amino acid, acute, 130
Neutrophil elastase, human, fate after receptor-mediated endocytosis by human alveolar macrophages: implications for connective tissue injury, 527
mass, marrow, in patients with nonhematological tumor, 561
Norepinephrine secretion and production, assessment of, 772
Nucleosides, modified, urinary excretion in chronic myelogenous leukemia, 783

O

Obesity, enhanced glucuronide conjugation of drugs in: lorazepam, oxazepam, and acetaminophen, 873
Optical aggregometry, secretion of ATP, and accumulation of radiolabeled platelets compared with electrical aggregometry, 44
Oral contraceptive steroids impairing elimination of theophylline, 821
Ouabain-like, Na,K-ATPase inhibitor from guinea pig is not, 105
Oxazepam, enhanced glucuronide conjugation of, in obesity, 873

P

Pancreatic function, human, short-term inhibition of duodenal tryptic activity not affecting, 488
Pancreatitis patients, serum from, complement (C5)-derived chemotactic activity in, 123
Paraquat, lipid peroxidation by, in perfused rat lung, 66

Peritoneal and alveolar macrophages, rat, cathepsin B and prolyl endopeptidase activity in: stimulation of peritoneal macrophages by saline lavage, 327
fibrinolysis: evidence for efficiency of tissue-type plasminogen activator, 921
Phagocytosis and agglutination of pneumococci by immunoglobulin G antibodies of restricted heterogeneity, 847
Phenol, encephalopathic effect in rats, 486
Phospholipid(s) binding to, protecting factor VIII from inactivation by human antibodies, 34
individual, and their fatty acids, characterized in serum and high-density lipoprotein of renal patient on long-term maintenance hemodialysis, 726
Plasma(s), animal, von Willebrand factor activity in, venom coagglutinin for detecting, 74
fibrinogen fractions and early plasmic fibrinogen derivatives compared: binding of fibrinogen to ADP-treated platelets, 453
glucose and serum calcium levels, reciprocal changes during glucose and insulin administration, 507
human, complexes between tissue-type plasminogen activator and proteinase inhibitors in, identified with immunoradiometric assay, 285
and rat, endogenous catecholamines in, conjugation patterns of: new specific method for glucuronide-conjugated catecholamines, 141
whole, dextran sulfate–dependent fibrinolysis in: dependence on factor XII and prekallikrein, 214
-platelet content, multimeric structure, and antigenic properties of factor VIII/von Willebrand factor, heterogeneous abnormalities in subtypes of classic and variant von Willebrand's disease, 411
prekallikrein, quantitative determination by direct activation with Hageman factor fragment (β-XIIa), 226
Plasmic fibrinogen derivatives, early, and plasma fibrinogen fractions compared: binding of fibrinogen to ADP-treated platelets, 453
Plasminogen activator, tissue-type, complexes with proteinase inhibitors in human plasma, identified with immunoradiometric assay, 285
efficiency in peritoneal fibrinolysis, 921
human, measurement by two-site immunoradiometric assay, 274
Platelet(s), age not correlated with size in hematologic disease, 295
aggregation induced by laminar shear stress, role of cytoplasmic and releasable ADP in, 537
measured microscopically vs. turbidometrically, low ADP-dependent process revealed, 964
Platelet(s)—cont'd
-associated immunoglobulin G, microtiter solid-phase radioimmunoassay for, 392
density and size, interrelationship with medium pH and viability after in vivo infusion, after storage at 22° C, 161
function, platelet size as determinant of, 205
number, inverse relation with platelet volume: abnormalities in hematologic disease and noncorrelation of platelet size with platelet age, 295
-plasma content, multimeric structure, and antigenic properties of factor VIII/von Willebrand factor, heterogeneous abnormalities in subtypes of classic and variant von Willebrand's disease, 411
radiolabeled, accumulation of, compared with electrical aggregometry, 44
size and density, interrelationship with medium pH and viability after in vivo infusion, after storage at 22° C, 161
as determinant of platelet function, 205
not correlated with platelet age in hematologic disease, 295
storage at 22° C for transfusion: interrelationship of platelet density and size, medium pH, and viability after in vivo infusion, 161
survival, experimentally shortened, rats with, changes in properties of platelets from, 175
volume, inverse relation with platelet number: abnormalities in hematologic disease and noncorrelation of platelet size with platelet age, 295
Pneumococci, agglutination and phagocytosis of, by immunoglobulin G antibodies of restricted heterogeneity, 847
Polycythemia vera, leukemic transformation of, leukemia-associated antigens in, 432
Polyethylene glycol 4000, radiolabeled, entry into normal and cystic fibrosis salivary mucus, 426
Polymorphonuclear leukocytes, impaired motility in malnourished infants: relationship to functional abnormalities of cell adherence, 881
Prednisolone catabolism, enhanced, indicated by urinary 6β-hydroxyprednisolone excretion, 693
Prednisone-induced alterations of circulating human lymphocyte subsets, 479
Pregnancy, cholesterogenesis in, *de novo*, 256
Prekallikrein and factor XII dependence in dextran sulfate–dependent fibrinolysis in whole human plasma, 214
plasma, quantitative determination by direct activation of Hageman factor fragment (β-XIIa), 226
Procoagulant activity, expression in human monocyte-like cell line, 401
Progressive systemic sclerosis (scleroderma) dermal fibroblasts synthesizing increased amounts of glycosaminoglycan, 659

Progressive systemic sclerosis—cont'd
endothelial injury in, protease mechanism, 553
Prolyl endopeptidase and cathepsin B activity in rat peritoneal and alveolar macrophages: stimulation of peritoneal macrophages by saline lavage, 327
Prostaglandin hydroperoxidase of renal inner medulla, metabolism of acetaminophen and benzidine by, effect of aspirin on, 58
Protease inhibitors in tracheobronchial secretions, 747
mechanism in endothelial injury in scleroderma, 553
Protein and sodium, dietary, effect on urine volume and water intake, 605
Proteinase inhibitors, complexes with tissue-type plasminogen activator in human plasma, identified with immunoradiometric assay, 285
Prothrombin species, human, immunoassays of, correlated with functional coagulant activities, 242
Pseudomonas aeruginosa, in vitro synergy of ticarcillin-tobramycin-rifampin against, 896
sepsis, experimental, absence of synergy between ticarcillin and tobramycin, 441
maltophilia, association with inflammatory bowel diseases, DNA hybridization studies of, 940

R

Rabbit kidney and liver, isolated perfused, degradation of human ^{125}I-interferon by, 857
Radioimmunoassay, direct, for measuring human converting enzyme level, 83
microtiter solid-phase, for platelet-associated immunoglobulin G, 392
Radiolabeled platelets, accumulation of, compared with electrical aggregometry, 44
Rat(s), chronic uremia in, producing long-term suppressive effect on T cell responses to mitogens, model for immune responses in experimental uremia, 717
encephalopathic effect of phenol in, 586
with experimentally shortened platelet survival, changes in properties of platelets from, 175
lung, perfused, lipid peroxidation by paraquat in, 66
maximal hepatic bilirubin transport in, during somatostatin-induced cholestasis and taurocholate-choleresis, 847
peritoneal and alveolar macrophages, cathepsin B and prolyl endopeptidase activity in: stimulation of peritoneal macrophages by saline lavage, 327
plasma, endogenous catecholamines in, conjugation patterns of: new specific method for glucuronide-conjugated catecholamines, 141
Rat(s)—cont'd
renal concentrating defect after gentamicin in, 903
Reactivity (cutaneous, cellular, and airway), IgE-mediated, induction in rhesus monkeys by *Ascaris suum* infection, 864
Receptor-mediated endocytosis by human alveolar macrophages, fate of human neutrophil elastase after: implications for connective tissue injury, 527
Red cell; *see* Erythrocyte
Renal; *see* Kidney
Renin-angiotensin system and sodium balance, role in renal vasoconstrictive response to contrast medium, 385
Reticuloendothelial system, iron removal from, improved by liposome encapsulation of *N,N'-bis*[2-hydroxybenzyl]-ethylenediamine-*N,N'*-diacetic acid, compared with desferrioxamine, 806
Reviewers' list, 1
Rifampin-ticarcillin-tobramycin: in vitro synergy against *Pseudomonas aeruginosa*, 896

S

Saline lavage, stimulation of peritoneal macrophages by: cathepsin B and prolyl endopeptidase activity in rat peritoneal and alveolar macrophages, 327
Salivary mucus, normal and cystic fibrosis, entry of [^{3}H] water and [1,2-^{14}C]polyethylene glycol 4000 into, 426
Scintillation counting, whole body, potential errors in estimation of body composition, 651
Scleroderma; *see* Progressive systemic sclerosis
Sepsis, *Pseudomonas aeruginosa*, experimental, absence of synergy between ticarcillin and tobramycin, 441
Serum calcium levels and plasma glucose, reciprocal changes during glucose and insulin administration, 507
and high-density lipoprotein of renal patient on long-term maintenance hemodialysis, individual phospholipids and their fatty acids in, 726
from pancreatitis patients, complement (C5)-derived chemotactic activity in, 123
Shear stress, laminar, platelet aggregation induced by, role of cytoplasmic and releasable ADP in, 537
Sheep lung lymph, lipoprotein distribution in, 641
Sodium balance and renin-angiotensin system, role in renal vasoconstrictive response to contrast medium, 385
-potassium–ATPase inhibitor from guinea pig brain not ouabain-like, 105
and protein, dietary, effect on urine volume and water intake, 605
taurocholate, effect on bile flow, and bile salt–associated electrolyte secretion, 317

Sodium—cont'd
transport across the renal brush border membrane, direct effect of metolazone on, 308
Somatostatin-induced cholestasis and taurocholate-choleresis, maximal hepatic bilirubin transport in rat during, 847
Staphylococcal toxic-shock syndrome, hypocalcemia of, pathogenic mechanisms, 576
Steroids, oral contraceptive, impairing elimination of theophylline, 821
Stomatocytosis, canine hereditary, with mild erythrocyte glutathione deficiency, glutathione metabolism in, 611
Suppressor cell activity, in vitro, abrogation in adult common variable hypogammaglobulinemia after TP5 treatment, 152

T

T cell responses to mitogens, long-term suppressive effect of chronic uremia in rat on, model for immune responses in experimental uremia, 717
subset modulation of blood erythroid burst-forming unit proliferation, 53
Taurocholate-choleresis, somatostatin-induced, maximal hepatic bilirubin transport in rat during, 847
Theophylline, elimination of, oral contraceptive steroids impairing, 821
Thirst and vasopressin function in normal and disordered states of water balance, 351
Ticarcillin and tobramycin, absence of synergy between, in experimental *Pseudomonas aeruginosa* sepsis, 441
-tobramycin-rifampin: in vitro synergy against *Pseudomonas aeruginosa*, 896
Tissue-type plasminogen activator, complexes with proteinase inhibitors in human plasma identified by immunoradiometric assay, 285
efficiency in peritoneal fibrinolysis, 921
human, measurement by two-site immunoradiometric assay, 274
Toad urinary bladder, antidiuretic hormone–stimulated osmotic water flow in, gentamicin effect on, 472
Tobramycin and ticarcillin, absence of synergy between, in experimental *Pseudomonas aeruginosa* sepsis, 441
-ticarcillin-rifampin: in vitro synergy against *Pseudomonas aeruginosa*, 896
Toxic-shock syndrome, staphylococcal, hypocalcemia of, pathogenic mechanisms, 576
Toxicologic consequences of infusion of red blood cell–loaded asparaginase in monkey, 679
TP5 treatment, abrogation of in vitro suppressor cell activity in adult common variable hypogammaglobulinemia after, 152
Tracheobronchial secretions, protease inhibitors in, 747
Transfusion, platelet storage at 22° C for: interrelationship of platelet density and size, medium pH, and viability after in vivo infusion, 161
Tryptic activity, duodenal, short-term inhibition of, not affecting human pancreatic, biliary, or gastric function, 488
Tumor, nonhematological, marrow neutrophil mass in patients with, 561

U

Uremia, chronic, in rat, producing long-term suppressive effect on T cell responses to mitogens, model for immune responses in experimental uremia, 717
Urinary bladder, toad, antiuretic hormone–stimulated osmotic water flow in, gentamicin effect on, 472
excretion of 6β-hydroxyprednisolone indicating enhanced prednisolone catabolism, 593
of modified nucleosides in chronic myelogenous leukemia, 783
Urine volume and water intake, effect of dietary sodium and protein on, 605

V

Vascular endothelium, erythrocyte adhesion to, fibrinogen modulating, 911
Vasoconstrictive response, renal, to contrast medium, role of sodium balance and renin-angiotensin system, 385
Vasopressin and thirst function in normal and disordered states of water balance, 351
Venom coagglutinin for detection of von Willebrand factor activity in animal plasmas, 74
Viability, platelet, after in vivo infusion, interrelationship with platelet density and size and medium pH, after storage at 22° C, 161
Viscosity studies of deoxyhemoglobin S, formation of microaggregates during lag phase, 515
Volume expansion superimposed on subthreshold glucose loading, mechanism of glycosuria during, 708
von Willebrand('s) disease, classic (type I) and variant (type IIA), subtypes of, heterogenous abnormalities of multimeric structure, antigenic properties, and plasma-platelet content of factor VIII/von Willebrand factor in, 411
factor activity in animal plasmas, venom coagglutinin for detection of, 74
/factor VIII, heterogeneous abnormalities of multimeric structure, antigenic properties, and plasma-platelet content of, in subtypes of classic and variant von Willebrand's disease, 411

W

Water balance, normal and disordered states of, thirst and vasopressin function in, 351

Water—cont'd
flow, osmotic, in toad urinary bladder, antidiuretic hormone–stimulated, gentamicin effect on, 472
intake and urine volume, effect of dietary sodium and protein on, 605
tritiated, and [1,2-^{14}C]polyethylene glycol 4000, entry into normal and cystic fibrosis salivary mucus, 426
Whole body scintillation counting, potential errors in estimation of body composition, 651

X

D-Xylose absorption in normals and chronic renal failure, kinetic analysis of, 496

Z

Zinc salts, hemoglobin precipitation by, partial purification of red cell enzymes with, 617